Special Effect & Special Equipment FLAT

Genuflex MarkIII

Motion Control System

有限会社フラット

〒224－0045
神奈川県横浜市都筑区東方町594－3
TEL:045－530－3246
FAX:045－530－3247
info@flat-sfx.jp
http://www.flat-sfx.jp/

Genuflex Mk III **Speed - JetRail/Genuflex**

Track	excess 213cm per second
Boom Swing	90° in 3 seconds
Boom Elevation	152cm in 3 seconds
Camera Pan	90º in 1 sec. or less
Camera Tilt	90º in 1 sec. or less
Camera Roll	90º in 1 sec. or less

Boom arm the distant from the center of rotation to camera film plane at nodal

Short arm	1820mm
Standard arm	2300mm
Long arm	3060mm

Boom arm is + / - 45 degrees off level

Short arm with 2122mm of travel
Standard arm with 2800mm of travel
Long arm with 3880mm of travel

Center of boom arm rotation from floor to center is 1480mm.

Degrees Of Motion

Swing	360°+
Pan	360°+
Tilt	360°+
Roll	360°+

System weights

JetRail Dolly	68kg
Genuflex Mk3 body	208kg
Genuflex Long Arm	60kg
Genuflex Standard Arm	35kg
Genuflex Short Arm	30kg
RotoFlex Pan & Tilt Head	28kg
RotoFlex Pan, Roll Head	12kg

Genuflex Mk III　スペック

★ 速度

ドーリー	**2130mm**	秒
アーム左右	**90°**	**3**秒
アーム上下	**1520mm**	**3**秒
カメラ　パン	**90º**	**1**秒弱
カメラ　ティルト	**90º**	**1**秒弱
カメラ　ロール	**90º**	**1**秒弱

★ アーム長

ショートアーム	**1820mm**
スタンダードアーム	**2300mm**
ロングアーム	**3060mm**

★ アーム上下４５°移動距離

ショートアーム	**2122mm** 移動
スタンダードアーム	**2800mm** 移動
ロングアーム	**3880mm** 移動

★ アーム中心　床高（レール無し）　**1480mm.**

★ モーション角度

アーム左右	**360°+**
カメラパン	**360°+**
カメラティルト	**360°+**
カメラロール	**360°+**

★ システム重量

Mk3ボディー	**208kg**
ロングアーム	**60kg**
スタンダードアーム	**35kg**
ショートアーム	**30kg**
パンティルトヘッド（**2**軸）	**28kg**
3軸用ロールヘッド	**12kg**

★ レール長　**3500mm** ×　**5**本

ショートアーム

スタンダードアーム

ロングアーム

GenuFlex Mk III

Long Arm - 120.5″ 3060mm
Camera Underslung

© 2006 General Lift LLC, All Right Reserved.



GenuFlex Mk III		
	Standard Arm - 90.5″ Camera Overslung	2300mm

© 2006 General Lift LLC, All Right Reserved.



GenuFlex Mk III	
	Standard Arm - 90.5″ 2300mm Camera Underslung

© 2006 General Lift LLC, All Right Reserved.



GenuFlex Mk III		
	Short Arm - 71.5″ Camera Overslung	1820mm

© 2006 General Lift LLC, All Right Reserved.



GenuFlex Mk III		
	Short Arm - 71.5″ Camera Underslung	1820mm

© 2006 General Lift LLC, All Right Reserved.